Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	chastity adj belt	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:01
S2	2	suffix same (virtual adj host adj names)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:04
S3	2	(session or course or term)same(virtual adj host adj names)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:07
S4	4	(session or course or term)and(virtual adj host adj names)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:08
S5	2	identify same(session or course or term)and(virtual adj host adj names)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:08
S6	0	(identify or pinpoint or determine or classify or spot)same(virtual adj host adj names)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:10
S7	0	(identify or pinpoint or determine or classify or spot) same (virtual adj host adj names)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:11
S8	0	(identify or pinpoint or determine or classify or spot) near (virtual adj host adj names)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:11
S9	465	(identif\$3 or pinpoint\$3 or recogniz\$3 or locat\$3) same (host adj names)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 14:05
S10	432	S9 and (session or run or communication)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:23
S11	322	S10 and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:23
S12	104	S9 same (multiple or various or different or several)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:26
S13	63	S12 AND @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 13:26
S14	63	S12 AND @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/08 13:28
S15	63	S12 AND @ad<"20040927" and server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/08 13:28

S16	0	S12 AND @ad<"20040927" same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/08 13:29
S17	63	S12 AND @ad<"20040927" and server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/08 13:48
S18	1690170	(concurrent\$3 or synchroniz\$3 or simultaneously)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/08 13:54
S19	38	S17 and S18	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/08 13:54
S20	346	(identif\$3 or pinpoint\$3 or recogniz\$3 or locat\$3) same (host adj names)and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 14:11
S21	0	(identif\$3 or pinpoint\$3 or recogniz\$3 or locat\$3) same (virtual adj host adj names)and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 14:12
S22	2	(identif\$3 or pinpoint\$3 or recogniz\$3 or locat\$3) same (virtual adj host adj names)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 14:12
S23	7	(identif\$3 or pinpoint\$3 or recogniz\$3 or locat\$3) same ((virtual adj host adj names) or domain adj host adj names)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 14:15
S24	56433	"709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 14:16
S25	0	"10748122".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 14:25
S26	1	"10748122"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/08 14:25
S27	1699864	(multiple users on same computer)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 14:17
S28	39548	(multiple users on same computer)same (IP or Internet adj Protocol)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 14:17
S29	9639	(multiple users on same computer)same (IP or Internet adj Protocol)same (virtual host name)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 14:17
S30	7207	S29 and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 14:18

S31	2983	S30 and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 15:53
S32	159	S29 and 709/250.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 14:19
S33	519271	(WINS or (windows internet naming))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 16:02
S34	101512	(virtual host names) same (name resolution)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 15:54
S35	58061	S33 and S34	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 15:55
S36	1724957	(register\$3 or record\$3 or log\$4)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 15:57
S37	53731	S35 and S36	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 15:57
S38	12306	S33 same S34	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 15:58
S39	3505	S38 same S36	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 15:59
S40	3505	S39 same S34	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 15:59
S41	28	S39 and 709/250.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 15:59
S42	13965	(WINS or (windows adj internet adj naming))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 16:03
S43	69	(windows adj internet adj naming)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/09 16:03
S44	69	(windows adj internet adj naming)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/09 16:04
S45	50	(windows adj internet adj naming) and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/09 16:07

S46	10	(host adj name)and(windows adj internet adj naming) and	US-PGPUB; USPAT;	OR	ON	2007/08/09 16:07
		@ad<"20040927"	IBM_TDB			
S47	4	(assorted or collective or different or multiple or plurality) near (virtual adj (host or client) adj name)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/20 10:19
S48	21	(virtual adj (host or client) adj name)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/20 10:23
S49	847	"multimedia server"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/20 10:33
S50	1014	"multimedia server"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 10:48
S51	1014	"multimedia server" and ad@<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 10:35
S52	342	"multimedia server" and "709"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 10:48
S53	342	"multimedia server" and "709"/\$. ccls. and ad@<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 10:50
S54	292	"multimedia server" and "709"/\$. ccls. and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 10:53
S55	342	"multimedia server" and "709"/\$. ccls. and ad@<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 11:30
S56	0	host adj name near "multimedia server" and "709"/\$.ccls. and ad@<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 11:31
S57	2	host adj name same "multimedia server" and "709"/\$.ccls. and ad@<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 11:33
S58	2244	host adj name and "709"/\$.ccls. and ad@<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 11:33
S59	2244	host adj name and "709"/\$.ccls. and ad@<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 11:33
S60	16	virtual adj host adj name and "709"/\$.ccls. and ad@<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 11:43

		7		·	·	
S61	220	"virtual identity"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 12:10
S62	18	"virtual identity" and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 12:11
S63	0	"virtual adj (identity or identification or ID)" and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 12:26
S64	4429557	(collective multiple many several plurality)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 14:23
S65	2	S64 near virtual adj (host or client) adj name	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 14:30
S66	3497280	different or various or unique	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 14:50
S67	7	(different or various or unique) same "virtual host name"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 15:02
S68	50	(different or various or unique) same "virtual client"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 15:02
S69	36	(different or various or unique) same "virtual client" and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 15:44
S70	0	(different or various or unique) same "virtual client (ID or idenitifers or identification)" and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 15:45
S71	266515	(different or various or unique) same (virtual client (ID or idenitifers or identification or name)) and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 15:46
S72	2319204	(multiple user ID)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 16:11
S73	367053	S66 and (Identifiers or Identities or passwords)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 16:14
S74	349361	S66 and (Identifiers or Identities or passwords) and ((multiple or plurality) near\$5 users)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 16:15
S75	30215	S66 and (Identifiers or Identities or passwords) and ((multiple or plurality) near\$5 users) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 16:15

S76	432	(single adj computer) same S66 and (Identifiers or Identities or passwords) and ((multiple or plurality) near\$5 users) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 16:16
S77	370	(single adj computer) same S66 and (Identifiers or Identities or passwords) and ((multiple or plurality) near\$5 users) and "709"/\$.ccls. and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 16:18
S78	251	(single adj computer) same S66 and (Identifiers or Identities or passwords) same ((multiple or plurality) near\$5 users) and "709"/\$.ccls. and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 16:23
S79	20	(single adj computer) same S66 and (Identifiers or Identities or passwords) same ((multiple or plurality) adj users) and "709"/\$. ccls. and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 17:56
S80	73	(assign) same S66 and (Identifiers or Identities or passwords) same ((multiple or plurality) adj users) and "709"/\$.ccls. and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/20 17:56
S81	6826	"user identifier"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 07:21
S82	59	(multiple or plurality or "more than one" or many or several or "atleast one") near "user identifier"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 07:56
S83	0	(multiple or plurality or "more than one" or many or several or "atleast one") near "user (identifier or ID"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 07:57
S84	0	(multiple or plurality or "more than one" or many or several or "atleast one") near "user (identifier or ID)"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 07:57
S85	0	(multiple or plurality or "more than one" or many or several or "atleast one") near "user adj (identifier or ID)"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 07:57
S86	3510	(multiple or plurality or "more than one" or many or several or "atleast one") near identifies	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 07:58
S87	1966	(multiple or plurality or "more than one" or many or several or "atleast one") near ID	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 07:58

S88	1512	(multiple or plurality or "more than one" or many or several or "atleast one") near ID and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 08:02
S89	66556	(multiple or plurality or "more than one" or many or several or "atleast one") near (ID or user) and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:02
S90	8926	(multiple or plurality or "more than one" or many or several or "atleast one") near (ID or user) and @ad<"20040927" and "709"?\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:03
S91	101	(multiple or plurality or "more than one" or many or several or "atleast one") near (ID or user) same (single adj (computer or node)) and @ad<"20040927" and "709"?\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:07
S92	3	(multiple or plurality or "more than one" or many or several or "atleast one") near (name) same (single adj (computer or node)) and @ad<"20040927" and "709"?\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:08
S93	19	(multiple or plurality or "more than one" or many or several or "atleast one") near (host) same (single adj (computer or node)) and @ad<"20040927" and "709"?\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:13
S94	4590843	(multiple or plurality or "more than one" or many or several or "atleast one") near\$5 user same (single adj (computer or node)) and @ad<"20040927" and "709"?\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:13
S95	4590843	(multiple or plurality or "more than one" or many or several or "atleast one") near\$5 user same (single adj (computer or node)) and @ad<"20040927" and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:14
S96	56788	"709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:14
S98	4590843	(multiple or plurality or "more than one" or many or several or "atleast one") near\$5 (user same (single adj computer)) and @ad<"20040927" and "709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:17
S99	4319221	(multiple or plurality or "more than one" or many or "atleast one") near\$5 (user same (single adj computer)) and @ad<"20040927" and "709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:17

S10 0	4590843	(multiple or plurality or "more than one" or many or several or "atleast one") near\$5 (user same (single adj (computer or node))) and @ad<"20040927" and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:19
S10 1	777	(user same (single adj (computer or node))) and @ad<"20040927" and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:20
S10 2	777	(users same (single adj (computer or node))) and @ad<"20040927" and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 08:27
S10 3	6155	(multiple or plurality or "more than one" or many or several or "atleast one") same user adj (identifier or ID)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 08:32
S10 4	96948	(single or one or remote) adj computer	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 08:34
S10 5	35	S103 same S104 and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 08:40
S10 6	1094	(assign\$3 or appoint\$3 or designat\$3) SAME S103	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 08:43
S10 7	169	(assign\$3 or appoint\$3 or designat\$3) SAME S103 AND S104	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 08:44
S10 8	121	(assign\$3 or appoint\$3 or designat\$3) SAME S103 AND S104 AND @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 08:54
S10 9	125	(multi-user)same (single adj computer)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 08:56
S11 0	70	S109 and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 09:01
S11 1	. 63	((user adj password) same (single or one or remote)adj (computer or node)) and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 09:48
S11 2	857	(multiple or plurality or many) adj (identifiers or users or ID) same (single or remote or one) adj (computer or workstation)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 09:51
S11 3	632	(multiple or plurality or many) adj (identifiers or users or ID) same (single or remote or one) adj (computer or workstation) and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 09:54

	,					
S11 4	856	(multiple or plurality or many) adj (identifiers or users or ID) same (single or remote or one) adj (computer or workstation) and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/21 10:58
S11 5	3285	(virtual chang\$5 or variable or adjust\$4 or adapt\$4) near3 (host computer server main\$1frame) near3 (name alias ID identification identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:08
S11 6	124	S115 and (709/227,222.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:09
S11 8	0	"6976258,pn."	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 13:58
S11 9	0	"6976258.pn."	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 13:58
S12 0	4	"6976258"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 13:58
S12 1	4080046	(associat\$3 or appoint\$3 or combin\$3 or join\$4 or partner\$3) NEAR\$5 ((internet adj protocol) or IP) NEAR\$3 (Identifier or ID or Identification)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:19
S12 2	4002848	(associat\$3 or appoint\$3 or combin\$3 or join\$4 or partner\$3) NEAR\$5 ((internet adj protocol) or IP) NEAR\$3 (Identifier or ID or Identification) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:25
S12 3	4002653	(associat\$3 or appoint\$3 or combin\$3 or join\$4 or partner\$3) NEAR\$3 ((internet adj protocol) or IP) NEAR\$3 (Identifier or ID or Identification) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:25
S12 4	1614499	(associat\$3 or appoint\$3 or combin\$3 or join\$4 or partner\$3) adj ((internet adj protocol) or IP) NEAR\$3 (Identifier or ID or Identification) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:26

S12 5	1614496	(associat\$3 or combin\$3 or join\$4 or partner\$3) adj ((internet adj protocol) or IP) NEAR\$3 (Identifier or ID or Identification) and "709"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:27
S12 6	1614309	(associat\$3 or join\$4 or partner\$3) adj ((internet adj protocol) or IP) NEAR\$3 (Identifier or ID or Identification) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:27
S12 7	40721	((associat\$3 or join\$4 or partner\$3) adj ((internet adj protocol) or IP) NEAR\$3 (Identifier or ID or Identification))and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:27
S12 8	36939	((associat\$3 or join\$4 or partner\$3) adj ((internet adj protocol) or IP) NEAR\$3 (Identifier or Identification))and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:28
S12 9	28207	((associat\$3 or join\$4 or partner\$3) adj ((internet adj protocol) or IP) NEAR\$3 (Identifier)) and "709"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:28
S13 0	93	((associat\$3 or join\$4 or partner\$3) adj ((internet adj protocol) or IP) same (Identifier)) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:28
S13 1	0	((associat\$3 or join\$4 or partner\$3) adj ((internet adj protocol) or IP) same (Identifier)) and "709"/\$.ccls. and @ad<"0040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:29
S13 2	74	((associat\$3 or join\$4 or partner\$3) adj ((internet adj protocol) or IP) same (Identifier)) and "709"/\$.ccls. and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/21 16:29
S13 3	0	(ASF or advance adj stream\$3 adj format) same (packet or WAV or Quicktime) same (multiple or plurality or "more than one" or "at least one" or several) adj (user or Identifiers or Identification)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/22 08:02
S13 4	2537915	(ASF or advance adj stream\$3 adj format) same (packet or WAV or Quicktime) same (multiple or plurality or "more than one" or "at least one" or several) near\$5 (user or Identifiers or Identification)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/22 08:03
S13 5	1921	S134 and 709/231.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/22 08:03

S13	667902	database	US-PGPUB;	OR	ON	2007/08/22 08:05
6	007902	database	USPAT; IBM_TDB	OK	ON	2007/08/22 08:03
S13 7	791	S135 and S136	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 08:05
S13 8	735	S135 and S136 and server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 08:05
S13 9	26	S135 and S136 and server and ((multiple or several or "more than one") adj (terminal or work\$station or node))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 08:08
S14 0	3969218	S135 and S136 and server and ((multiple or several or "more than one") adj (terminal or work\$station or node)) @ad<"20020925"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 08:09
S14 1	22	S135 and S136 and server and ((multiple or several or "more than one") adj (terminal or work\$station or node)) and @ad<"20020925"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:20
S14 2	4592078	(plurality or many or multiple or "atleast one" or several) near\$3 (IP or Internet adj protocol) same (user or client)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:22
S14 3	4591041	(plurality or many or multiple or "atleast one" or several) near\$3 (IP or Internet adj protocol) same (user or client) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:23
S14 4	4600772	(plurality or many or multiple or "atleast one" or several) near\$3 (IP or Internet adj protocol) near\$4 (user or client) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:23
S14 5	4600772	(plurality or many or multiple or "atleast one" or several) near\$3 (IP or Internet adj protocol) near\$4 ((plurality or many or multiple or "atleast one" or several)(user or client)) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:24
S14 6	20	(multiple or different or plurality) adj (IP or (internet adj protocol)) same (multiple adj user)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:25
S14 7	14	(multiple or different or plurality) adj (IP or (internet adj protocol)) same (multiple adj user) and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:29
S14 8	1603675	(multiple adj user) near\$4 (multiple adj (IP or internet protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:30

S14 9	2035616	(multiple adj user) near\$4 (multiple adj (unique or different or authentic) or (IP or internet protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:31
S15 0	1600391	(multiple adj user) near\$4 (multiple adj (unique or different or authentic)) adj (IP or (internet protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:32
S15 1	1600333	(multiple adj user) near\$4 (multiple adj (unique or different or authentic)) adj (IP or (internet protocol)) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:32
S15 2	0	(multiple adj user) adj (multiple adj (unique or different or authentic)) adj (IP or (internet protocol)) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR .	ON	2007/08/22 09:33
S15 3	41	(multiple adj (unique or different or authentic)) adj (IP or (internet protocol)) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:37
S15 4	3764455	(plurality or multiple or "more than one") near\$3 (IP or "internet protocol") and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:38
S15 5	53063	((plurality or multiple or "more than one") near\$3 (IP or "internet protocol") same (users)) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:39
S15 6	38636	((access\$3 or obtain\$3 or acquir\$3) same(plurality or multiple or "more than one") near\$3 (IP or "internet protocol") same (users)) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:42
S15 7	3984	((access\$3 or obtain\$3 or acquir\$3) same(plurality or multiple or "more than one") near\$3 (IP or "internet protocol") same (users)) and "709"/227,228.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:43
S15 8	13	((access\$3 or obtain\$3 or acquir\$3) same(plurality or multiple or "more than one")adj(IP or "internet protocol") same (users)) and "709"/227,228.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 09:59
S15 9	62	((access\$3 or obtain\$3 or acquir\$3) same(plurality or multiple or "more than one")adj(IP or "internet protocol") same (users)) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:01

S16 0	56	((access\$3 or obtain\$3 or acquir\$3) same(plurality or multiple or "more than one")same ((unique or different)adj(IP or "internet protocol") same (users))) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:02
S16 1	13606	((access\$3 or obtain\$3 or acquir\$3) same(plurality or multiple or "more than one")same ((unique or different)adj(IP or "internet protocol") near\$5 (users))) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:02
S16 2	13606	((access\$3 or obtain\$3 or acquir\$3) same(plurality or multiple or "more than one")same ((unique or different)adj(IP or "internet protocol") near\$4 (users))) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:02
S16 3	56	((access\$3 or obtain\$3 or acquir\$3) same(plurality or multiple or "more than one")same ((unique or different)adj(IP or "internet protocol") same (users))) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:21
S16 4	3620657	(obtain\$3 or retriev\$3) near\$4 (unique or different or individual) adj (IP or (internet protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:24
S16 5	3617929	(obtain\$3 or retriev\$3) near\$4 (unique or different or individual) adj (IP or (internet protocol)) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:24
S16 6	4272251	(user or individual or subscriber) near\$3 (obtain\$3 or retriev\$3) near\$4 (unique or different or individual) adj (IP or (internet protocol)) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:25
S16 7	55334	((user or individual or subscriber) near\$3 (obtain\$3 or retriev\$3) near\$4 (unique or different or individual) adj (IP or (internet protocol))) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:25
S16 8	52975	((user or individual or subscriber) near\$3 (obtain\$3 or retriev\$3) same(unique or different or individual) adj (IP or (internet protocol))) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:25

S16 9	241	((user or individual or subscriber) same (obtain\$3 or retriev\$3) same (unique or different or individual) adj (IP or (internet protocol))) and "709"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:25
S17 0	186	((user or individual or subscriber) same (obtain\$3 or retriev\$3) same (unique or different or individual) adj (IP or (internet protocol))) and "709"/\$.ccls. and @ad<="20040927"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 10:50
S17 1	34	(multiple or plurality) adj (unique or different) adj (IP or (internet adj protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 11:47
S17 2	0	(multiple or plurality) adj (unique or different) adj (IP or (internet adj protocol)) same (multiple adj users)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 11:48
S17 3	7	(multiple or plurality) adj (unique or different) adj (IP or (internet adj protocol)) same (users)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 11:49
S17 4	27650	(multiple adj users)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 11:49
S17 5	891	(multiple adj users) same (IP or (Internet adj protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 11:50
S17 6	891	(multiple adj users) same (IP or (Internet adj protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 11:59
S17 7	16	(multiple adj users) same (multiple or plurality) adj (IP or (Internet adj protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 12:59
S17 8	26	(multiple adj users) same (different or unique) adj (IP or (Internet adj protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 13:59
S17 9	0	"10711591".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 13:59
S18 0	0	"10711591".app.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 14:00
S18 1	1	"10711591"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/22 14:00
S18 2	2401	suffix and (ip and address)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/22 16:42

S18 3	206	suffix same (ip and address)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/22 16:43
S18 4	206	S183	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/22 16:43
S18 5	173	S183 and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/22 16:44
S18 6	173	S183 and @ad<"20040927"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/22 16:44
S18 7	0	"09452286"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 11:43
S18 8	4	"6976258"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 11:48
S18 9	0	"6976258" and "6041353"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 11:50
S19 0	0	"6976258" and "6041353.pn."	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 11:50
S19 1	2	"6041353"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 11:50
S19 2	2	"6041353"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 12:06
S19 3	4	"6976258"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 12:11
S19 4	629	bhalla	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 12:12
S19 5	228744	"602"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 12:12
S19 6	5	"0208602"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 12:13
S19 7	7	bhalla and cisco	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 12:13

S19 8	127	citrix.as.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 15:10
S19 9	0	michael adj burr	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 15:10
S20 0	13006	709/250,228,223,227.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 15:11
S20 1	13006	709/250,228,223,227.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/23 15:11
S20 2	23	(virtual adj host adj name)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/23 15:12
S20 3	207794	(IP or (internet adj protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/23 15:13
S20 4	4	S202 and S203 and S201	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/23 15:13

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	127	citrix.as.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 15:10
L2	0	michael adj burr	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 15:10
L3	13006	709/250,228,223,227.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/08/23 15:11
L4	13006	709/250,228,223,227.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/23 15:11
L5	23	(virtual adj host adj name)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/23 15:12
L6	207794	(IP or (internet adj protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/23 15:13
L7	4	L5 and L6 and L4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/23 15:13